RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number: 10541,998 A

Source: TWO

Date Processed by STIC: 10/4/06

ENTERED

IFWO

(pg.6)

```
 3 <110> APPLICANT: Collier, Greg
 4        Walder, Ken
 5        Segal, David
 6        Foletta, Victoria
 8 <120> TITLE OF INVENTION: OBESITY-RELATED GENES
10 <130> FILE REFERENCE: 19020
12 <140> CURRENT APPLICATION NUMBER: 10/541,998A
13 <141> CURRENT FILING DATE: 2005-07-13
15 <160> NUMBER OF SEQ ID NOS: 13
17 <170> SOFTWARE: PatentIn version 3.1
19 <210> SEQ ID NO: 1
20 <211> LENGTH: 426
21 <212> TYPE: DNA
22 <213> ORGANISM: Psammomys obesus
24 <220> FEATURE:
25 <221> NAME/KEY: misc_feature
26 <222> LOCATION: (336)..(336)
27 <223> OTHER INFORMATION: n = any nucleotide
30 <400> SEQUENCE: 1
31 ggacatcttt tcagccatga ggagctttct ggaaactcgg agttgataca gaaatatagg      60
33 aatataatca cgcaggctcc taacctggag aacattgagc tgtactggaa cagctacaac     120
35 aaccgccgag acctgaactt cgagcgaggt ggtgagatga ccctcaagtg ccctgtgatg     180
37 ctggtggtag agaccaagc  gcctcatgag gatgccgtgg tggagtgtaa ctcaaaactg     240
39 gaccccacac agacctcgtt cctcaagatg gctgattctg gaggtcagcc acagctgacc     300
W--> 41 cagccaggca agctgactga ggctttcaag tacttnctgc aaggcatggg ctacatggcc     360
43 tcctcctgca tgactcgcct atcgaggtct cgcacggcat ctttgaccag cgcagcatcc     420
45 attgat                                                               426
48 <210> SEQ ID NO: 2
49 <211> LENGTH: 451
50 <212> TYPE: DNA
51 <213> ORGANISM: Psammomys obesus
53 <400> SEQUENCE: 2
54 gctggtaccg gtccggaatt cccgggatat cgtcgaccca cgcgtccggt ggtggagaag      60
56 atcgctcctg ccgtggttca cattgaactg tatcgcaaac ttcctttctc gaagagggag     120
58 gtgccagtgg cgagtgggtc cggatttatc gtgtctgagg atggactgat tgtgaccaat     180
60 gctcacgtgg tgaccaacaa aaacagggtc aaggttgagc tgaagaatgg agcaacctat     240
62 gaagctaaaa tcaaggatgt ggatgaaaag gcagacatcg cacttatcaa aattgaccac     300
64 cagggaaagc tgccagtctt gctgctgggc cgctcctcag agcttcgacc aggagagttt     360
66 gtggtcgcca tcggaagccc cttttccctt caaaacacag tcaccactgg gatcgtcagt     420
68 accacccagc gaggcggcaa agagctgggg c                                   451
71 <210> SEQ ID NO: 3
72 <211> LENGTH: 478
73 <212> TYPE: DNA
```

```
 74 <213> ORGANISM: Psammomys obesus
 77 <400> SEQUENCE: 3
 78 tgacattttc tttccacctc ttatgatagc tgatatatac taaatcttta tacagaaatg      60
 80 tcagtacttg aacaaattca aaacacattg gtttattaac ttttggctca tgcatggttt     120
 82 attaggttca aattatacct gattcatcta tatttacttt taaaatgtgt ggtttcctca     180
 84 ttttaaaagt aaaactaaac agtgcttttg gaatttctaa gctactaatt gttgatagat     240
 86 acagcctgtg tctagtaaaa tagtttttgtg ggtgtggtt ctatctttcc atgaaaaagt     300
 88 gggaggtgta agttagtttg gttagtgcct aatagttaaa tttatataaa ataagaatga     360
 90 gcatttggta tctgtatgaa agggccctaa atcaaaatga ttatccataa tcaatcttta     420
 92 ttcttgtttt ataaaaacca aagggcactc attggttaag tgtgctgaga tagaaaag      478
 95 <210> SEQ ID NO: 4
 96 <211> LENGTH: 1884
 97 <212> TYPE: DNA
 98 <213> ORGANISM: Psammomys obesus
100 <220> FEATURE:
101 <221> NAME/KEY: misc_feature
102 <222> LOCATION: (609)..(609)
103 <223> OTHER INFORMATION: n = any nucleotide
106 <220> FEATURE:
107 <221> NAME/KEY: misc_feature
108 <222> LOCATION: (611)..(611)
109 <223> OTHER INFORMATION: n = any nucleotide
113 <220> FEATURE:
114 <221> NAME/KEY: misc_feature
115 <222> LOCATION: (1388)..(1388)
116 <223> OTHER INFORMATION: n = any nucleotide
119 <220> FEATURE:
120 <221> NAME/KEY: misc_feature
121 <222> LOCATION: (1390)..(1390)
122 <223> OTHER INFORMATION: n = any nucleotide
125 <220> FEATURE:
126 <221> NAME/KEY: misc_feature
127 <222> LOCATION: (1413)..(1413)
128 <223> OTHER INFORMATION: n = any nucleotide
131 <220> FEATURE:
132 <221> NAME/KEY: misc_feature
133 <222> LOCATION: (1512)..(1512)
134 <223> OTHER INFORMATION: n = any nucleotide
137 <220> FEATURE:
138 <221> NAME/KEY: misc_feature
139 <222> LOCATION: (1568)..(1568)
140 <223> OTHER INFORMATION: n = any nucleotide
143 <400> SEQUENCE: 4
144 cgcagatact gcagagctga cgcattcttt gcctggcatc tcagcttgct aggtgtctca      60
146 tcttcgctct gcgctcgtgg cctcctccaa ggcctccagt ctcctttaag aaaactcaag     120
148 acctgggaag ctacgatgcg agcttgatgc cgctacccta gcaggctatg gacttcctga     180
150 gggtcctcgg actgttgaca cccattccga tccgcatcct tccaagctga taagcccggg     240
152 accctagggc ggggtgccca gactcatgtg tgacgccttg cagtgaaacc ccattcccag     300
154 tgtggttgct tctttgctgg gctttggccc atttgatacc acgaaggatg acgatgctag     360
```

RAW SEQUENCE LISTING   DATE: 10/04/2006
PATENT APPLICATION: US/10/541,998A   TIME: 13:37:48

Input Set : A:\19020.seq.txt
Output Set: N:\CRF4\10042006\J541998A.raw

```
        156 ttatgcagca gccaacacac ctcccccaa ctctccgctg tcactggtgg gccccactgt   420
        158 ccaggaagca ggtgtccgga actgacatct tggagcagag gggccatgag aggtgtgtgt   480
        160 atcctgccag aaagcagctg gaccacgacg ctcccaagat gaacccactg tatacagagg   540
        162 catcatggga gttgttatgt caggagcatt ctagacccac gtgtacttga gcgtggaaag   600
W--> 164 acagaagana ngcgcagaga ctggggcact tgatctgctc accatgatcg cctgcacggg   660
        166 tctcatccag ttcctgcctt aggctacagt ggcggtgtcc acgggcttgc cattcaacgt   720
        168 gctctcagac ccagatcggg ctcaccactg aggagaacct tttcactttg gtgggtatgc    780
        170 agagggaagg gtctcgactc cagagacctg gagtccaaag tttgtttttt tttatttacc    840
        172 agtaatttat ttattttttt tattattagt tatgagtcca aagtttaata ccattcaagc   900
        174 tactgctgtc tgtctgctta gagccacagc atgcaatgtg gcaccaaggc atccttgtcc   960
        176 tcacagtttc acactgtggg aacaggcatc cttgttctta cagattagcg cgagggaaac  1020
        178 cagaaatatt aaacacgcag ggttgtctct ccaaagggag aggcacatac cctgtttttcc  1080
        180 tcccgaaggc tgggagcgga ggtgtttgat atcctggcta cctctgtgca atctgtaggc  1140
        182 catgtcctta agatgtagct gtcagtcggt agtggagccg gagccgtcag tcagtagatt  1200
        184 ggggttgtgg catgcgcctt taactccatt taattccagc actctagtgg tttggtacag  1260
        186 cagcagcagc agcggttgca gtggcccggg gaagtcctga agaccagctt tcatcccagc  1320
        188 actcaggcag caaaggcggg tggattctct gagttcgagg ccggcctggt ctacagagtg  1380
W--> 190 agtccagncn agccagggct acaacagaga aancctctct attgaaaaat aaataaatta   1440
        192 taaaaagaaa aaggtgtcat gtgtcctgtg tactttacaa agaatgttga tgcttaagct  1500
W--> 194 tttttgtgca cncaagaaaa ttgtttaact ggtgtcagac tcctgaagtt tgaaccagca  1560
W--> 196 cttagccngg cgtggtggcg cacgcctgta atcccagccc tcgggaggca gaggcaggtg  1620
        198 gatctctgag ttagaggcca gcctggtcta cagagtgagt ccaggacagc caggattaca  1680
        200 cagagaaacc ccgtctcaaa aatgtaaaat aaattaaaat aaagtttgaa ccaacagtgt  1740
        202 ttactgagtc gtgttgaaac agattacctt tttgcttctc tttgatcatt attctactgt  1800
        204 ggtgtcagca gagacccctc cagcaggtgg ccaacgtgag agtctcaagc ccgagaaggt  1860
        206 aagaatttaa aaaaaaaaaa aaaa                                         1884
        209 <210> SEQ ID NO: 5
        210 <211> LENGTH: 1358
        211 <212> TYPE: DNA
        212 <213> ORGANISM: Psammomys obesus
        214 <220> FEATURE:
        215 <221> NAME/KEY: misc_feature
        216 <222> LOCATION: (385)..(385)
        217 <223> OTHER INFORMATION: n = any nucleotide
        220 <220> FEATURE:
        221 <221> NAME/KEY: misc_feature
        222 <222> LOCATION: (416)..(416)
        223 <223> OTHER INFORMATION: n = any nucleotide
        227 <220> FEATURE:
        228 <221> NAME/KEY: misc_feature
        229 <222> LOCATION: (430)..(430)
        230 <223> OTHER INFORMATION: n = any nucleotide
        233 <220> FEATURE:
        234 <221> NAME/KEY: misc_feature
        235 <222> LOCATION: (507)..(507)
        236 <223> OTHER INFORMATION: n = any nucleotide
        239 <220> FEATURE:
        240 <221> NAME/KEY: misc_feature
        241 <222> LOCATION: (754)..(754)
```

RAW SEQUENCE LISTING   DATE: 10/04/2006
PATENT APPLICATION: US/10/541,998A   TIME: 13:37:48

Input Set : A:\19020.seq.txt
Output Set: N:\CRF4\10042006\J541998A.raw

```
242 <223> OTHER INFORMATION: n = any nucleotide
245 <220> FEATURE:
246 <221> NAME/KEY: misc_feature
247 <222> LOCATION: (856)..(856)
248 <223> OTHER INFORMATION: n = any nucleotide
251 <220> FEATURE:
252 <221> NAME/KEY: misc_feature
253 <222> LOCATION: (928)..(928)
254 <223> OTHER INFORMATION: n = any nucleotide
257 <220> FEATURE:
258 <221> NAME/KEY: misc_feature
259 <222> LOCATION: (980)..(980)
260 <223> OTHER INFORMATION: n = any nucleotide
264 <220> FEATURE:
265 <221> NAME/KEY: misc_feature
266 <222> LOCATION: (1165)..(1165)
267 <223> OTHER INFORMATION: n = any nucleotide
270 <220> FEATURE:
271 <221> NAME/KEY: misc_feature
272 <222> LOCATION: (1200)..(1200)
273 <223> OTHER INFORMATION: n = any nucleotide
276 <220> FEATURE:
277 <221> NAME/KEY: misc_feature
278 <222> LOCATION: (1273)..(1273)
279 <223> OTHER INFORMATION: n = any nucleotide
282 <220> FEATURE:
283 <221> NAME/KEY: misc_feature
284 <222> LOCATION: (1284)..(1284)
285 <223> OTHER INFORMATION: n = any nucleotide
288 <220> FEATURE:
289 <221> NAME/KEY: misc_feature
290 <222> LOCATION: (1303)..(1303)
291 <223> OTHER INFORMATION: n = any nucleotide
294 <220> FEATURE:
295 <221> NAME/KEY: misc_feature
296 <222> LOCATION: (1305)..(1305)
297 <223> OTHER INFORMATION: n = any nucleotide
301 <220> FEATURE:
302 <221> NAME/KEY: misc_feature
303 <222> LOCATION: (1326)..(1326)
304 <223> OTHER INFORMATION: n = any nucleotide
307 <220> FEATURE:
308 <221> NAME/KEY: misc_feature
309 <222> LOCATION: (1330)..(1330)
310 <223> OTHER INFORMATION: n = any nucleotide
313 <400> SEQUENCE: 5
314 gttgggaaag aatgaagaaa caacccgatg aatagaaatg aaaagcctaa gccaaatgga      60
316 tttctgttga gatgttggat gaaaacaagt atccactgtt taccaacttg acgaaaaatc     120
318 tcaactgagg tttggctgtt aaaaaaaaaa attcactgtg gcctctgtgc ttaattgtcg     180
```

```
       320 taaaccattg tgactgttac tgctcaaagt atcgtactgt tcattagtaa ctacatcaga    240
       322 attgcaccgc tgctgttgga aaagccaata aagaaacccc cagactgctg ctcagcaaat    300
       324 gttaataaag tgtgcgcacc gtaggcctgt ccacccagtc accaagcagc gtccctttgt    360
W-->   326 ctgcgagtgg ctgtgggtgt gattnaccac ctcagaggtg cacagcacct gcttgngccc    420
W-->   328 ttaagtgtgn gtcagaagac aagcagcttc tcggtaacca acaacctgct tttcggagct    480
W-->   330 cagtgtttag ctgtttact gaatcanata tgtaactcag cacacataag cgaagagaga    540
       332 tttttggctgc actggcaaga gtgaaccaaa tttacttcta tttttttaaaq gcaqatcata    600
       334 tttaagcata taagtaattt atggatataa attgttggat attttatttta gtctgaatat    660
       336 ttgtttttaa attattacat gtgttctcta tgtctttatc tctggaataa cgatgccatt    720
W-->   338 aaccacatgg ccatatgttt tgaaagttgg gtgnaacaga ggaaaagtca tccttcttgg    780
       340 ttcttgactc cctttcctca actacatgat aagtctatca ataaagcatt tgacctcagc    840
W-->   342 aggggcagaa gcctgnaaag ttagaaaact cattgaccac agtagacaat tgatttctta    900
W-->   344 gaaataagaa gtgagaagca gctgctgngc tgagcagggg atgtaaacca agtccagatg    960
W-->   346 caccaacgtg aagaggcttn tagcaaaaat atgtttgcct ctcaccctg cacatgttct   1020
       348 agatgcttaa aaacagccac atggccccgc tgcgaggacc tcgtaatgtt gttgttgttg   1080
       350 ttgttgttgt taaaggagtt ctcacaagcg tacaagtgca gcactgaaag tggctgaggc   1140
W-->   352 ccacagtcct cagcacccaa gtctnttccg cagcacgcca agctggtgtt gtccgggtgn   1200
       354 gtatgtctgt gctcagtgcc aagctggtgt ttggtcccgt tgtatattat gtgccccaag   1260
W-->   356 tgtttggggg canagctgac ccangctgga cacacttctt ttngncttcg agtttactgg   1320
W-->   358 ttgatncagn taaaaataaa ttaattaatt aaagactt                          1358
       361 <210> SEQ ID NO: 6
       362 <211> LENGTH: 390
       363 <212> TYPE: DNA
       364 <213> ORGANISM: Psammomys obesus
       366 <220> FEATURE:
       367 <221> NAME/KEY: misc_feature
       368 <222> LOCATION: (3)..(3)
       369 <223> OTHER INFORMATION: n = any nucleotide
       372 <220> FEATURE:
       373 <221> NAME/KEY: misc_feature
       374 <222> LOCATION: (9)..(9)
       375 <223> OTHER INFORMATION: n = any nucleotide
       378 <400> SEQUENCE: 6
W-->   379 gtngaagcnt aggagttcga ggatgcgccc gatgtcgagc cgctggaacc cacgcttagc     60
       381 aatatcatcg agcagcgcag ccttaagtgg atcttcgtcg ggggcaaggg tggcgttggt    120
       383 aagaccacct gcagctgcag cctggcggtc cagctgtcta agggacgtga gagtgttcta    180
       385 atcatttcca cagacccagc tcacaacatc tcagatgcat ttgaccagaa gttctccaag    240
       387 gtgcctacca aggtcaaagg ctatgacaac ctctttgcta tggagataga cccgagcctg    300
       389 ggcgtggcag agctccctga tgaagttctt cgaggaagac aacatgctga gcatgggcaa    360
       391 gaagatgatg caggaggcca tgagcgcctt                                     390
       394 <210> SEQ ID NO: 7
       395 <211> LENGTH: 927
       396 <212> TYPE: DNA
       397 <213> ORGANISM: Psammomys obesus
       399 <220> FEATURE:
       400 <221> NAME/KEY: misc_feature
       401 <222> LOCATION: (524)..(524)
       402 <223> OTHER INFORMATION: n = any nucleotide
       405 <220> FEATURE:
```

RAW SEQUENCE LISTING ERROR SUMMARY   DATE: 10/04/2006
PATENT APPLICATION: US/10/541,998A   TIME: 13:37:49

Input Set : **A:\19020.seq.txt**
Output Set: **N:\CRF4\10042006\J541998A.raw**

Please Note:
Use of n and/or Xaa have been detected in the Sequence Listing. Please review the
Sequence Listing to ensure that a corresponding explanation is presented in the <220>
to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; N Pos. 336
Seq#:4; N Pos. 609,611,1388,1390,1413,1572,1568
Seq#:5; N Pos. 385,416,430,507,754,856,928,980,1165,1200,1273,1284,1303
Seq#:5; N Pos. 1305,1326,1330
Seq#:6; N Pos. 3,90
Seq#:7; N Pos. 524,527
Seq#:8; N Pos. 60
Seq#:9; N Pos. 71,91,113,388

VERIFICATION SUMMARY   DATE: 10/04/2006
PATENT APPLICATION: **US/10/541,998A**   TIME: 13:37:49

Input Set : **A:\19020.seq.txt**
Output Set: **N:\CRF4\10042006\J541998A.raw**

```
L:41 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:300
L:164 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:600
L:190 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:1380
L:194 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:1500
L:196 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:1560
L:326 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:360
L:328 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:420
L:330 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:480
L:338 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:720
L:342 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:840
L:344 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:900
L:346 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:960
L:352 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:1140
L:356 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:1260
L:358 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:1320
L:379 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:428 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:480
L:458 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:505 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:60
L:515 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:360
```